

From: Mandy

Phone: +86 15192731532(Whatsapp/Wechat)

Skype: mandyapple02

Email: sales@billiongreen.com

www.billiongreen.com

Quotation For Your Reference

NO.	Picture		Specification
		Model	BLGC-Autumn-1
		Pile height	30mm±1mm
	是1000mm 1000mm 10000mm 1000mm 1000mm 1000mm 1000mm 10000mm 1	Gauge	3/8inch
	经产业专项的证券 (1000年)	Stitch rate	140stitches/m±3%
		Density	16800±3%
	XXVIIX CONTRACTOR CONTRACTOR	Yarn Dtex	Contact us for confirmation please
	STONE WELL BY STONE STON	Pile content	PP+PE with Spine
		Backing	PP + Non woven
	THE STATE OF THE S	Coating	SBR Latex
24	BYANGER A SAFEGURAR OF A	Package	PP film in rolls:4×25m & 2x25m
	THE PROPERTY OF THE PARTY OF TH	Color	Four tones
	THE TREE TO STAND AND THE ROSE WITH	Drainage hole diameter	5mm
		Holes / m²	70-100
		Installation filling	No
		Warranty	5-6 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.45/SQM with 140stitches
		FOB price	\$4.63/SQM with 150stitches

		FOB price	\$4.78/SQM with 160stitches
NO.	Picture		Specification
		Model	BLGC-SPRING-1
	AND	Pile height	30mm±1mm
	STATE STATES OF THE PARTY OF TH	Gauge	3/8inch
	SOLVENIE STEERING TO STEEN WEST COLORS	Stitch rate	140stitches/m±3%
		Density	16800±3%
	THE SECOND CONTRACTOR OF THE STATE OF THE SECOND SE	Yarn Dtex	Contact us for confirmation please
	TO THE PROPERTY OF THE PARTY OF	Pile content	PP+PE with Spine
	THE STATE OF THE SECOND STATES	Backing	PP + Non woven
	CONTRACTOR OF THE PROPERTY OF	Coating	SBR Latex
25		Package	PP film in rolls:4×25m & 2x25m
	THE STATE OF THE S	Color	Three tones
	TO MORE STATE OF THE PROPERTY OF THE	Drainage hole diameter	5mm
	SALL SALL SALL SALL SALL SALL SALL SALL	Holes / m ²	70-100
		Installation filling	No
	只是WAYANA 15 15 15 15 15 15 15 15 15 15 15 15 15	Warranty	5-6 years
		Applications	Landscaping
	2 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.45/SQM with 140stitches
		FOB price	\$4.63/SQM with 150stitches
		FOB price	\$4.78/SQM with 160stitches
NO.	Picture		Specification
	。 第15章 第15章 第15章 第15章 第15章 第15章 第15章 第15章	Model	BLGC-30200C
		Pile height	30mm±1mm
		Gauge	3/8inch
	是有关系是有关的。 第15章	Stitch rate	200 stitches/m±3%
	(4)(1)(1)(A)(3)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A)(1)(A	Density	21000±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape
	经验证据的证据 医皮肤 医皮肤 医皮肤	Backing	PP + Non woven
26		Coating	SBR Latex
	[\$15]从[\$2][[\$1][\$1][\$1][\$1][\$1][\$1][\$1][\$1][\$1][\$	Package	PP film in rolls:4×25m & 2x25m
		Color	Four colour tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	5-6 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$5.46/SQM

NO.	Picture		Specification
	KANDARATA DA MARKATAN KANDA DALAM MATANAHAN.	Model	BLGC-SPRING
		Pile height	25mm±1mm
	THE STATE OF THE STATE OF THE	Gauge	3/8inch
	MAN TENNEN MAN TO A SECOND STATE OF THE PARTY OF THE PART	Stitch rate	160stitches/m±3%
		Density	16800±3%
	THE SECTION OF THE SE	Yarn Dtex	Contact us for confirmation please
	THE STATE OF STATE OF STATES AND ASSESSED.	Pile content	PP+PE with Spine
	STATES OF THE ST	Backing	PP + Non woven
27	THE STATE OF STATE SAME THE STATE OF THE STA	Coating	SBR Latex
21	THE PROPERTY OF THE PROPERTY OF THE PARTY OF	Package	PP film in rolls:4×25m & 2x25m
	MINISTER OF THE PROPERTY OF TH	Color	Three tones
	THE WASHINGTON OF THE WASHINGT	Drainage hole diameter	5mm
		Holes / m²	70-100
	MENSON MANAGEMENT OF THE PROPERTY OF THE PROPE	Installation filling	No
		Warranty	5-6 years
		Applications	Landscaping
	5	Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.03/SQM

NO.	Picture		Specification
	SECTION AND ADDRESS OF THE PROPERTY OF THE PRO	Model	BLGC-Autumn
	THE LATER CONTRACTOR WITH THE PARTY OF THE P	Pile height	25mm±1mm
		Gauge	3/8inch
		Stitch rate	160stitches/m±3%
		Density	16800±3%
		Yarn Dtex	Contact us for confirmation please
	SURVEY ON THE STATE OF THE STAT	Pile content	PP+PE with Spine
	TERRESON OF THE PROPERTY OF THE STATE OF THE	Backing	PP + Non woven
28	AND COMMENT OF THE PROPERTY OF	Coating	SBR Latex
20	CHANNELS AN EXAMPLE AND	Package	PP film in rolls:4×25m & 2x25m
	AND WALKERSON FOR LONG TO WINDOW	Color	Four tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
	《大学》 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Installation filling	No
		Warranty	5-6 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.03/SQM

NO.	Picture		Specification
		Model	BLGC-25170C
		Pile height	25mm±1mm
		Gauge	3/8inch
		Stitch rate	170 stitches/m±3%
		Density	117850±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE and C shape with spine
	STATE OF THE STATE	Backing	PP + Non wove
29		Coating	SBR Latex
29		Package	PP film in rolls:4×25m & 2x25m
		Color	Three colour tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
	"是这个人的一个人," 第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	Installation filling	No
	"我们是一个人对了你的原理的是一个人。" "我们是一个人对了你的原理的是一个人,我们就是一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的	Warranty	5-6 years
	《李章》:"是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
	The state of the s	FOB price	\$3.91/SQM
NO.	Picture		Specification
	ASYLVANIT NO STATE OF SARASIT	Model	BLG-HL2520CS
		Pile height	25mm±1mm
		Gauge	3/8inch
		Stitch rate	200 stitches/m±3%
		Density	21000±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE and C shape with spine
		Backing	PP + Non wove
30		Coating	SBR Latex
		Package	PP film in rolls:4×25m & 2x25m
		Color	Three colour tones
		Drainage hole diameter	5mm
	A STATE OF THE PARTY OF THE PAR		
	A MANAGE LANGE AND	Holes / m²	70-100
		Installation filling	No
		Installation filling Warranty	No 5-6 years
		Installation filling Warranty Applications	No 5-6 years Landscaping
		Installation filling Warranty	No 5-6 years



NO.	Picture		Specification
		Model	BLGC-25250C
	STATE OF THE PARTY OF THE PARTY.	Pile height	25mm±1mm
	对公司等的证明的 对对对对	Gauge	3/8inch
	于了这个人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的	Stitch rate	250stitches/m±3%
	The same of the sa	Density	26250±3%
		Yarn Dtex	Contact us for confirmation please
	多次15-50% 12-14-14-14-14-14-14-14-14-14-14-14-14-14-	Pile content	PP+PE C shape with Spine
		Backing	PP + NET
32		Coating	SBR Latex
32		Package	PP film in rolls:4×25m & 2x25m
		Color	Three tones
	医多种的医等类的形别的多种的物质	Drainage hole diameter	5mm
	(1) (4) (1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Holes / m ²	70-100
		Installation filling	No
	2000年1月1日 1月1日 1月1日 1月1日 1月1日 1月1日 1月1日 1月1日	Warranty	5-6 years
	等的证据 代表的证据。	Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.99/SQM



10.	Picture		Specification
	and the second of the second o	Model	BLGC-2088C
	MARKET RELIEF AND STREET WERE	Pile height	20mm±1mm
	NAMES OF THE PARTY	Gauge	3/8inch
	发展的影响的影响。	Stitch rate	150 stitches/m±3%
	2011年,张小成于夏桂州,	Density	15750±3%
		Yarn Dtex	Contact us for confirmation please
	是1967年1967年1967年1967年1967年1967年1967年1967年	Pile content	PP+PE Monofilament with C shape
	25个1000年,1965年,196	Backing	PP + Non woven
4	第2次中心,1967年1967年1967年1967年1967年1967年1967年1967年	Coating	SBR Latex
"	(1)。	Package	PP film in rolls:4×25m & 2x25m
	为于 为 中的关系。	Color	Four colour tone
	17 中心,这个人的一个人,是不是一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的	Drainage hole diameter	5mm
	(1973年) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Holes / m²	70-100
	1.46 的可以被加强军争。在1995年第17日	Installation filling	No
	1. 在这位的时候,这个是一个	Warranty	5-6 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
	The thirty of the same of the	FOB price	\$3.65/SQM

NO.	Picture		Specification
	A STATE OF THE STA	Model	BLGC-20180
		Pile height	20mm±1mm
		Gauge	3/8inch
	《基本》(基本)(基本)(基本)(基本)(基本)(基本)(基本)(基本)(基本)(基本)	Stitch rate	180stitches/m±3%
		Density	118900±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with Spine
		Backing	PP + Non woven
35		Coating	SBR Latex
33		Package	PP film in rolls:4×25m & 2x25m
		Color	Four tones
		Drainage hole diameter	5mm
	。	Holes / m ²	70-100
	在1986年,1985年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,1986年,	Installation filling	No
	人名英格兰人姓氏	Warranty	6-8 years
	7、加州的美国企业特别的大型。	Applications	Landscaping
	《中央国际》 (11年2月1日)	Advantages	High simulation, very soft, Anti-UV, durable
-	A STATE OF THE PROPERTY OF THE PARTY OF THE	FOB price	\$4.35/SQM

NO.	Picture		Specification
		Model	BLGC-16400
	位为1900年的1900年至1900年1900年1900年1900年1900年1900年1900	Pile height	16mm±1mm
	人。加拿了300 A的专业公司的专业。	Gauge	3/16inch
	《美国》 《阿里斯·斯里斯·斯里斯·斯里斯·斯里斯·斯里斯·斯里斯·斯里斯·斯里斯·斯里斯·	Stitch rate	400stitches/m±3%
	少元的不通过。然后,一个人的一个人	Density	84000±3%
	公约的,是是一种特别的自己的特殊的一种自己	Yarn Dtex	Contact us for confirmation please
	图图 为证明的 医原理性 医克里特氏 医克里特氏病 医克里特氏病 医多种原理 医多种原原理 医多种原原性 医多种原原性 医多种原原性 医多种原原性 医多种原原性 医多种原原性 医多种原理 医多种原理 医多种原理 医多种原理 医多种原原性 医多种原理 医多种原原性 医原生 医多种原原性 医原生性原原体原生 医原生性原原生 医原生原体原体原生 医原生原生性原原体原生 医原生性原原体原生性原原体原生性原则原生性原体原生性原体原生性原体原生性原体原生性	Pile content	PP
	。因为为在大学人的工具,在这个一个一个	Backing	PP + NET
36	一定,特別的計劃及其是個型人的。所以	Coating	SBR Latex
30		Package	PP film in rolls:4×25m & 2x25m
	体操力使用在2个指针类或是1个组织中的	Color	Two tones (Light green+Olive green)
	的原理,因此是一种自然的一种的一种的一种。	Drainage hole diameter	5mm
	是由于自己。这个可以是特别的企工的主义。	Holes / m ²	70-100
	公司是否当人的法院的是任何的	Installation filling	No
		Warranty	6-8 years
	MANNE WIND AND AND AND AND AND AND AND AND AND A	Applications	Sports gateball. Golf putting green
		Advantages	High simulation, Anti-UV, durable
		FOB price	\$13.50/SQM

		T	
NO.	Picture		Specification
		Model	BLGC-16400-12
	是2000年代第二次2018年代,在2018年7月10	Pile height	12mm±1mm
	了。他还是这么,我用点面在10°C,但是有40°C。	Gauge	3/16inch
	20. 在1. 15 0. 并在1. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15 0. 15	Stitch rate	400stitches/m±3%
	(1) 19 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Density	84000±3%
	光 经,不是一种一种的一种一种的一种	Yarn Dtex	Contact us for confirmation please
	要处理。1982年1982年1984年1984年1984年	Pile content	PE
	A. A	Backing	PP + NET
	7世的对象企业。农业中都进行了资金。5	Coating	SBR Latex
37	计别人的自然处理的 医克里氏征	Package	PP film in rolls:4×25m & 2x25m
	(18) (18) (18) (18) (18) (18) (18) (18)	Color	Two tones (Light green+Olive green)
	行即使用整定的研究。但由于不同一门是这个	Drainage hole diameter	5mm
	是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	Holes / m²	70-100
	经过程的基础的	Installation filling	No
	的智慧的智能可以不同的人的可以是不是	Warranty	6-8 years
		Applications	Sports gateball,golf
		Advantages	High simulation, , Anti-UV, durable
		FOB price	\$11.96/SQM with SBR Backing
		FOB price	\$13.95/SQM with PU Backing
NO.	Picture		Specification
	(2015) 2. 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	Model	BLGC-HL1233
	生力以下。这位是一个一个人的特殊的人的人	Pile height	12mm±1mm
		Gauge	3/16inch
	图1244 安全的2015年1277 中国2015年14日	Stitch rate	330stitches/m±3%
	1972年 1886年 1874年	Density	69300±3%
	THE REPORT OF THE PARTY OF THE PARTY.	Yarn Dtex	Contact us for confirmation please
	是"只然是" 为" 在"在"的"会是是没有关系"的"会"。	Pile content	PP
	2.5545.34至77.4528.4545.462.9535.3635	Backing	PP + Net
38	图的中央中国的ENGLIGHT 在1000年的中央的特征	Coating	SBR Latex
30	为。这个人的一种,在这个大型的人的。 第一个人的一种人的一种人的一种人的一种人的一种人的一种人的一种人的一种人的一种人的一种	Package	PP film in rolls:4×25m & 2x25m
	不是在CLAPED 的名词形式 在CLAPES VAR	Color	Single tones
	3000年1月1日中央大学的大学的1月1日中央大学	Drainage hole diameter	5mm
	这个60万里在1960年,1960年	Holes / m²	70-100
	经经济方式共和国企业外外区的关于企业	Installation filling	No
	る。日本のは、大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大	Warranty	6-8 years
	the state of the s	Applications	Gateball
		Advantages	High simulation, Anti-UV, durable
		FOB price	\$4.80/SQM
		Warranty Applications Advantages	6-8 years Gateball High simulation, Anti-UV, durab



NO.	Picture		Specification
	\$250 BENEFIT (\$100 BENEFIT BEN	Model	BLGM-12
	企业的企业的工程的企业的企业	Pile height	12mm±1mm
	计信息操作 经共同的 医多克氏试验 经基础	Gauge	3/16inch
	(名) 1000 1000 1000 1000 1000 1000 1000 10	Stitch rate	290stitches/m±3%
	(1) 10 10 10 10 10 10 10 10 10 10 10 10 10	Density	60900±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PE
		Backing	PP + NET
40	计算的 第二次的 对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对对	Coating	SBR Latex
**		Package	PP film in rolls:2m*18m & 2x10m
		Color	Single Tone
	Company of the Compan	Drainage hole diameter	5mm
	THE WASTER SUBSTITUTE OF THE PROPERTY OF THE P	Holes / m ²	70-100
		Installation filling	No
	ALAUNDAY WANANA YANANA MARKATAN KA	Warranty	5-6 years
		Applications	Tennis, landscaping
		Advantages	Anti-UV, durable
		FOB price	\$4.04/SQM

NO.	Picture	Specification	
		Model	BLGC-KDK20280
		Pile height	20mm±1mm
	《大学》,他们是一个人,	Gauge	3/8inch
	公司公司公司 李宗宗(宋)	Stitch rate	280stitches/m±3%
	国际公司	Density	29400±3%
	不是一种人类的一种人类的一种人类的一种人类的一种人类的一种人类的一种人类的一种人类的	Yarn Dtex	Contact us for confirmation please
		Pile content	PP curly
		Backing	PP + Net
41		Coating	SBR Latex
41		Package	PP film in rolls:4×25m & 2x25m
		Color	Bi-color
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
	" 是是我的意思,"	Warranty	5-6 years
		Applications	Landscaping
	为我们的 是是我们的	Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$6.39/SQM