

Qingdao Billion Green International Trading Co.,Ltd West Of Xianggang Road,Jiaozhou,Qingdao China 266300 www.billiongreen.com TEL : +86 532 86628532 | FAX : +86 532 86628532 Email: sales@billiongreen.com | Phone: 0086-151 9273 1532

From: Mandy Phone:+86 15192731532(Whatsapp/Wechat) Skype: mandyapple02 Email: sales@billiongreen.com www.billiongreen.com

NO.	Picture		Specification
		Model	BLGC-SG50150
	STALLIST DE LA LA PLANTAN SEPANANA	Pile height	50mm±1mm
	X A A A X A Y A X A A X A A X A A A A A	Gauge	5/8inch
		Stitch rate	150stitches/m±3%
		Density	9450±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with Spine
	PATENTAN ATTACK MANAGEMENT AND	Backing	PP + NET
1		Coating	SBR Latex
-		Package	PP film in rolls:4×25m & 2x25m
		Color	Bicolour
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Football /soccer playground
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$4.66/SQM

Quotation For Your Reference

NO.	Picture		Specification
		Model	BLGC-50140
	STALL RADIE CANNING AN PARALLAN	Pile height	50mm±1mm
		Gauge	5/8inch
		Stitch rate	140 stitches/m±3%
		Density	8820±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PE with spine
		Backing	PP +PP+ NET
2		Coating	SBR Latex
2		Package	PP film in rolls:4×25m & 2x25m
		Color	Bicolor
		Drainage hole diameter	5mm
		Holes / m²	70-100
		Installation filling	Need to fill with sand or Rubber Granules
		Warranty	6-8 years
		Applications	Football /soccer playground
		Advantages	High simulation, very soft, Anti-UV, fire resistant, durable
	And the second	FOB price	\$5.46/SQM
NO.	Picture		Specification
		Model	BLGC-50130S
		Pile height	50mm±1mm
		Gauge	5/8inch
		Stitch rate	130 stitches/m±3%
		Density	9450±3%
	REAL CONTRACTOR AND A PARTY	Yarn Dtex	Contact us for confirmation please
		Pile content	PE with S shape blade
		Backing	PP+ NET
3		Coating	SBR Latex
5		Package	PP film in rolls:4×25m & 2x25m
		Color	Three color
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Holes / m ² Installation filling	70-100 Need to fill with sand or Rubber Granules
		Holes / m² Installation filling Warranty	70-100 Need to fill with sand or Rubber Granules 6-8 years
	KAKKAK	Holes / m ² Installation filling Warranty Applications	70-100Need to fill with sand or Rubber Granules6-8 yearsFootball /soccer playground
		Holes / m² Installation filling Warranty	70-100 Need to fill with sand or Rubber Granules 6-8 years

NO.	Picture		Specificatio	n
		Model	BLGC-40160NF	No need sands or rubber granules in
		Pile height	40mm±1mm	
	D. AN PARALAS CAN DO BERDARIA	Gauge	3/8inch	
	CALLER AND AND A CALLER AND AND A	Stitch rate	160 stitches/m±3%	
	TENTAL STREAM AND A SHOULD STOP	Density	16800±3%	
		Yarn Dtex	Contact us for confirm	mation please
	LARAMENTAL MEDINAL AMERICAN AND ADDRESS	Pile content	PP+PE with C+Stem	shape
		Backing	PP + NET	
4		Coating	SBR Latex	
1		Package	PP film in rolls:4×25n	n & 2x25m
		Color	Two colour tone	
		Drainage hole diameter	5mm	
		Holes / m ²	70-100	
		Installation filling	No	
		Warranty	6-8 years	
		Applications	Football/soccer play	/ground
	a for a fame for the state of t	Advantages	High simulation, very	/ soft, Anti-UV, durable
		FOB price	\$9.95/SQM	
NO.	Picture		Specificatio	n
	STREET, ALL AND	Model	BLGC-SG50130	
	MARY ADDE YADA - ZUŚWEJWA DO KADA	Pile height	50mm±1mm	
	NA 6. A REPARA 72 FEBRAR 153-241-012A	Gauge	5/8inch	
	KARAAN MARAAN BARAN (ARAAN) ARAAN (ARAAN) ARAAN	Stitch rate	130 stitches/m±3%	
	S SAUN USAN HARAFA DAKAN MARAPANA	Density	8190±3%	
	23A NUMERAN WALANTA MANDARA MATADA	Yarn Dtex	Contact us for confirm	mation please
		Pile content	Diamond shape	
	A 2 VAN DERAL DE VAN THE UNDER VIEW TH	Backing	PP+ NET	
5		Coating	SBR Latex	
5		Package	PP film in rolls:4×25n	n & 2x25m
		Color	Single color	
		Drainage hole diameter	5mm	
		Holes / m ²	70-100	
		Installation filling	Need to fill with sand	d or Rubber Granules
		Warranty	6-8 years	
		Applications	Football /soccer play	-
	the land - beauting the	Advantages		/ soft, Anti-UV, fire resistant, durable
		FOB price	\$4.65/SQM	
1				

NO.	Picture		Specification
		Model	BLGC-SG60170
		Pile height	60mm±1mm
	AN A PERIOD AND AND AND AN	Gauge	5/8inch
	ASE E NATIONALANA AND A	Stitch rate	170 stitches/m±3%
		Density	10710±3%
	A 177 A BOR 177 MARKANNA NA ANA ANA AN	Yarn Dtex	Contact us for confirmation please
		Pile content	PE with spine
		Backing	PP+ Non-woven
6		Coating	SBR Latex
Ū	A CANARA V RAXIS V AA	Package	PP film in rolls:4×25m & 2x25m
		Color	Single color
		Drainage hole diameter	5mm
	YATU MNYA DIZMZY AX	Holes / m²	70-100
		Installation filling	Need to fill with sand or Rubber Granules
		Warranty	6-8 years
		Applications	Football /soccer playground
		Advantages	High simulation, very soft, Anti-UV, fire resistant, durable
		FOB price	\$5.20/SQM
NO.	Picture		Specification
	CRAINS ENGLAND TO MALE UNDER MALE AND	Model	BLGTS-50180CS
	NALAN TRACK SEASCHING TO SAME AND	Pile height	50mm±1mm
	A DESCRIPTION OF A DESC	Gauge	3/8inch
	12 Martin Carlos Andreas and the Reason of the	Stitch rate	180 stitches/m±3%
		Density	18900±3%
	AF IN VARIANY AVAILAND A TRACTA	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape with spine
		Backing	PP + PP
7		Coating	PU
		Package	PP film in rolls:4×25m & 2x25m
	FITTER STRUCTURE SATE AND A SAT	Color	Four colour tone
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Holes / m ² Installation filling	70-100 No
		Holes / m ² Installation filling Warranty	70-100 No 6-8 years
		Holes / m ² Installation filling Warranty Applications	70-100 No 6-8 years Landscaping
		Holes / m ² Installation filling Warranty	70-100 No 6-8 years

NO.	Picture		Specification
		Model	BLGTS-50180C
	へうちょう ちょうちょう そうせつ ひがいき いいけんがい レークレイト	Pile height	50mm±1mm
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Gauge	3/8inch
	TO BE THE COMPLEX STATE OF A DESCRIPTION OF A	Stitch rate	180 stitches/m±3%
		Density	18900±3%
	ZANSA MALANDANG MANAAAA	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape
		Backing	PP + NET
8		Coating	SBR Latex
0		Package	PP film in rolls:4×25m & 2x25m
		Color	Three colour tones
		Drainage hole diameter	5mm
	VISSIL 25 MAAA BAAR ATTA AAA	Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$8.23/SQM
NO.	Picture		Specification
		Model	BLGTS-50190C
	MANDARA DA ANDARA AND AN AND AN	Pile height	50mm±1mm
		Gauge	3/8inch
		Stitch rate	190 stitches/m±3%
	IN VEN KANADA KAUNIYANA KANAN	Density	19950±3%
	THE TANK A FEARING COMPANY AND AND AN ADDRESS OF A DAMAGE AND ADDRESS AND ADDRESS AND	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape
		Backing	PP + Non woven
9		Coating	SBR Latex
5		Package	PP film in rolls:4×25m & 2x25m
		Color	Four colour tones
		Drainage hole diameter	5mm
		Holes / m²	70-100
		Installation filling	No
		Warranty	6-8 years
	PALLENCE PLAN HAT AT A CHARLEN A	Applications	Landscaping
	the second second second second second	Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$7.76/SQM

NO.	Picture		Specification
		Model	BLGTS-50140PU
		Pile height	50mm±1mm
		Gauge	3/8inch
		Stitch rate	140 stitches/m±3%
		Density	14700±3%
	a label of a 17	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with
		Backing	PP + NET
10		Coating	PU
10		Package	PP film in rolls:15ft*100ft
		Color	Four colour tone
		Drainage hole diameter	5mm
		Holes / m²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$11.77/SQM
NO.	Picture		Specification
		Model	BLGC-PS40-1
		Pile height	40mm±1mm
		Gauge	3/8inch
		Stitch rate	175 stitches/m±3%
		Density	18375±3%
	A A LEUY ADVIN KULK IKREED FUR AKK	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape
		Backing	PP + NET
11	DANDANI JANYAH KINANA JAKA JA	Coating	SBR Latex
		Package	PP film in rolls:4×25m & 2x25m
		Color	Four colour tone
	TALL PRESIDENT AN ALL	Drainage hole diameter	5mm
		Holes / m²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$6.79/SQM

NO.	Picture		Specification
		Model	BLGC-PS40-2
		Pile height	40mm±1mm
	MARTIN AND AND A THE A THE AND A PARTY OF THE TANK	Gauge	3/8inch
	Landa Hell ANY ATTAT ANALY MET AND ANY	Stitch rate	195 stitches/m±3%
		Density	18375±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape
		Backing	PP + NET
12		Coating	SBR Latex
12		Package	PP film in rolls:4×25m & 2x25m
		Color	Four colour tone
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$6.65/SQM
NO.	Picture		Specification
		Model	BLGJS-40180C
		Pile height	40mm±1mm
		Gauge	3/8inch
		Stitch rate	180stitches/m±3%
		Density	18900±3%
	and the second state of the se	Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with C shape blade
		Backing	PP + Net
13		Coating	SBR Latex
15		Package	PP film in rolls:4×25m & 2x25m
		Color	Four tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
	S LEON AN AN A SU SA AN	Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$6.84SQM
		FOB price	\$6.84SQM

BLGC-AN4018040mm±1mm3/8inch180stitches/m±3%18900±3%Contact us for confirmation pleasePP+PE with C shape bladePP + NetSBR LatexPP film in rolls:4×25m & 2x25mFour tonesSmm70-100No6-8 yearsLandscapingHigh simulation, very soft, Anti-UV, durable\$6.60/SQM
3/8inch 180stitches/m±3% 18900±3% Contact us for confirmation please PP+PE with C shape blade PP + Net SBR Latex PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
180stitches/m±3%18900±3%Contact us for confirmation pleasePP+PE with C shape bladePP + NetSBR LatexPP film in rolls:4×25m & 2x25mFour tones5mm70-100No6-8 yearsLandscapingHigh simulation, very soft, Anti-UV, durable\$6.60/SQM
18900±3%Contact us for confirmation pleasePP+PE with C shape bladePP + NetSBR LatexPP film in rolls:4×25m & 2x25mFour tones5mm70-100No6-8 yearsLandscapingHigh simulation, very soft, Anti-UV, durable\$6.60/SQM
Contact us for confirmation please PP+PE with C shape blade PP + Net SBR Latex PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
PP+PE with C shape blade PP + Net SBR Latex PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
PP + Net SBR Latex PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
SBR Latex PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
PP film in rolls:4×25m & 2x25m Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
Four tones 5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
5mm 70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
70-100 No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
No 6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
6-8 years Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
Landscaping High simulation, very soft, Anti-UV, durable \$6.60/SQM
High simulation, very soft, Anti-UV, durable \$6.60/SQM
\$6.60/SQM
Specification
BLGC-40160
40mm±1mm
3/8inch
160stitches/m±3%
16800±3%
Contact us for confirmation please
PP+PE with C shape
PP + NET
SBR Latex
PP film in rolls:4×25m & 2x25m
Three tones
5mm
70-100
70-100 No
No
No 6-8 years

		Model	
			BLGC-05
		Pile height	40mm±1mm
		Gauge	3/8inch
		Stitch rate	140 stitches/m±3%
		Density	14700±3%
		Yarn Dtex	Contact us for confirmation please
	- 「「「「「「「「「「」」」」」「「「「」」」」」」	Pile content	PP+PE with Diamond shape
		Backing	PP + NET
16		Coating	SBR Latex
10		Package	PP film in rolls:4×25m & 2x25m
	A SERVICE AND A SERVICE	Color	Four colour tone
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
	The second	FOB price	\$5.46/SQM
NO.	Picture		Specification
	A addition for a graded descent while a for	Model	BLGC-PS17
	The sector was shown	Pile height	35mm±1mm
		Gauge	3/8inch
		Stitch rate	150 stitches/m±3%
	The second s	Density	15750±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE and water wave shape
		Backing	PP + NET
17		Coating	SBR Latex
		Package	PP film in rolls:4×25m & 2x25m
	AND THE REPORT OF THE	Color	Five colour tones
	A THE AT A PERSON AND A	Drainage hole diameter	5mm
	《公共》的法律的问题	Holes / m ²	70-100
	A STATE AND A STAT	Installation filling	No
		Warranty	6-8 years
	AND REAL PROPERTY.	Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
1 1		FOB price	\$6.65/SQM

NO.	Picture		Specification
	and the set of a strength of set of the set of the	Model	BLGC-35250C
	an and the second s	Pile height	35mm±1mm
		Gauge	3/8inch
		Stitch rate	250stitches/m±3%
	3.1.14 C.1.C.114 中国 法公司出版社会会会议会	Density	26250±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE C shape with Spine
		Backing	PP + NET
18		Coating	SBR Latex
18		Package	PP film in rolls:4×25m & 2x25m
		Color	Three tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$5.99/SQM
NO.	Picture		Specification
		Model	BLGC-35180
		Pile height	35mm±1mm
		Gauge	3/8inch
		Stitch rate	180stitches/m±3%
		Density	18900±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE with Spine
		Backing	PP + Non woven
		Coating	SBR Latex
19		Package	PP film in rolls:4×25m & 2x25m
		Color	Four tones
		Drainage hole diameter	5mm
		Holes / m ²	70-100
		Installation filling	No
		Warranty	6-8 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
		FOB price	\$6.03/SQM

ModelBLGC-02Pile height35mm±1mrGauge3/8inchStitch rate210 stitchesDensity22050±3%Yarn DtexContact us fPile contentPP+PE andBackingPP + NET	/m±3%
Gauge 3/8inch Stitch rate 210 stitches Density 22050±3% Yarn Dtex Contact us f Pile content PP+PE and	/m±3%
Stitch rate 210 stitches Density 22050±3% Yarn Dtex Contact us f Pile content PP+PE and	
Density22050±3%Yarn DtexContact us fPile contentPP+PE and	
Yarn Dtex Contact us f Pile content PP+PE and	
Pile content PP+PE and	
	or confirmation please
Backing PP + NFT	Flat shape
20 Coating SBR Latex	
Package PP film in ro	lls:4×25m & 2x25m
Color Four colour	tone
Drainage hole diameter 5mm	
Holes / m ² 70-100	
Installation filling No	
Warranty 6-8 years	
Applications Landscaping]
	tion, very soft, Anti-UV, durable
FOB price \$5.04/SQM	
	ecification
Model BLGC-SPRIN	
Pile height 35mm±1m	m
Gauge 3/8inch	
Stitch rate 140stitches/	/m±3%
Density 16800±3%	
	or confirmation please
Pile content PP+PE with	•
Backing PP + Non w	oven
Coating SBR Latex	
	lls:4×25m & 2x25m
Color Three tones	
Drainage hole diameter 5mm	
Holes / m ² 70-100	
Installation filling No	
Warranty 5-6 years	
Applications Landscaping	
	tion, very soft, Anti-UV, durable
	with 140stitches
	with 150stitches
FOB price \$5.19/SQM	with 160stitches

NO.	Picture		Specification
		Model	BLGC-Autumn-2
	Tele 14 The Coll The South Statistics and	Pile height	35mm±1mm
	LANGER DEPENDENT OF LAND AND A DEPENDENT	Gauge	3/8inch
	INTERNA AND AND AND AND AND AND AND AND AND A	Stitch rate	140stitches/m±3%
		Density	16800±3%
	A SAME AS A REAL AND A DATA AND A SAME	Yarn Dtex	Contact us for confirmation please
	SALAN TARAL THIS AN ALTA A SHOT LARK	Pile content	PP+PE with Spine
	NERVES A SECTION OF A SECOND	Backing	PP + Non woven
	SAMA TANG AND A CANADA AND AN	Coating	SBR Latex
22		Package	PP film in rolls:4×25m & 2x25m
22	STATE AND A STATE OF A	Color	Four tones
		Drainage hole diameter	5mm
	A PARTIC A STATE AND A STATE AND A STATE	Holes / m²	70-100
	C SARL SCHOOL AND A SECOND	Installation filling	No
	AND THE THE PARTY AND	Warranty	5-6 years
		Applications	Landscaping
		Advantages	High simulation, very soft, Anti-UV, durable
	and the second s	FOB price	\$4.81/SQM with 140stitches
		FOB price	\$5.01/SQM with 150stitches
		FOB price	\$5.19/SQM with 160stitches
NO.	Picture		Specification
	AS SUGAL SELECT	Model	BLG-HL2520CS-1
	Ga Stir	Pile height	35mm±1mm
		Gauge	3/8inch
		Stitch rate	200 stitches/m±3%
	N TY AN I HAVE AN I PANE RETVANDAN	Density	21000±3%
		Yarn Dtex	Contact us for confirmation please
		Pile content	PP+PE and C shape with spine
		Pile content Backing	PP+PE and C shape with spine PP + Non wove
23		Pile content Backing Coating	PP+PE and C shape with spine
23		Pile content Backing Coating Package	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25m
23		Pile content Backing Coating Package Color	PP+PE and C shape with spine PP + Non wove SBR Latex
23		Pile content Backing Coating Package Color Drainage hole diameter	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tonesSmm
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ²	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ² Installation filling	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100No
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ² Installation filling Warranty	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100No5-6 years
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ² Installation filling Warranty Applications	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100No5-6 yearsLandscaping
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ² Installation filling Warranty Applications Advantages	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100No5-6 yearsLandscapingHigh simulation, very soft, Anti-UV, durable
23		Pile content Backing Coating Package Color Drainage hole diameter Holes / m ² Installation filling Warranty Applications	PP+PE and C shape with spinePP + Non woveSBR LatexPP film in rolls:4×25m & 2x25mThree colour tones5mm70-100No5-6 yearsLandscaping